

## Eau Claire Fire Department

Christian Bell, Fire Chief 216 S. Dewey Street Eau Claire, WI 54701

## **MEDIA RELEASE**

DATE:	12/20/21		CONTACT:	BC Steve Vargo	
DISPATCH TIME:	02:31		PHONE #:	715-839-5013	
INCIDENT NO.:	21-9469		# PAGES:	2	
LOCATION: 561	3 Christopher Dr.				
INCIDENT TYPE:	Fire Water,	/Ice Hazardous	Materials 🔘	) Mass Casualty Other	
ALARMS: 1st Alarm 2nd Alarm Special Call MABAS					
ENGINE/TRUCK(S) RESPONDING: 5 RESCUE/MEDICAL VEHICLE(S) RESPONDING: 2					
COMMAND VEHICLE: 2 PERSONNEL RESPONDING: 21					
INJURIES: Civilian: 0 Firefighter: 0					
TRANSPORTED BY AMBULANCE: Yes (#: ) No WHERE TRANSPORTED: N/A					
FATALITIES:	Yes (#: )	No			
EVACUATION:	Yes No	Comments:			
RELOCATION:	• Yes No	Comments:			
MUTUAL AID:	Given Re	eceived	NA		
BUSINESS NAME: Occupant: Name: Address:					
Phone:					



## Eau Claire Fire Department

Christian Bell, Fire Chief 216 S. Dewey Street Eau Claire, WI 54701

Property Owner:	
Name:	
Address:	
Phone:	
Phone.	
STRUCTURE TYPE: Single story duplex AREA OF O	RIGIN: Hallway/bedroom ceiling area
UNDER INVESTIGATION:   Yes  No BY WHOM: EC	=D
PROBABLE CAUSE: Under investigation	
DAMAGE ESTIMATE: \$	
(structure and contents)	
(20.000.000.000.000,	
NARRATIVE:	
The Eau Claire Fire Department responded to a reported st	ucture fire in a duplex over night.
On arrival, smoke was showing from the rear of the structure and in a back hallway ceiling and bedroom ceiling area. The area wa	

searched the structure for victims and provided ventilation for the smoke, heat, and fire.

side of the duplex and a single occupant was relocated from the adjacent duplex. Fire personnel performed salvage operations to protect valuables for the residents.

Crews remain on scene at the time of report and the fire investigation is on-going.

Allyn Bertrang Deputy Chief

Prevention-CRR

Matt Jaggar
Deputy Chief
Suppression Operations

All of the occupants had exited the structure and reported no injuries. 7 occupants were relocated from the affected

Jon Schultz Deputy Chief EMS Operations