Eau Claire Fire Department

MEDIA RELEASE

DATE:	05/20/2024	**CONTACT:**	Deputy Chief Tony Biasi
DISPATCH TIME:	14:16hrs	**PHONE #:**	715.839.5013
INCIDENT NO.:	24-4075	**# PAGES:**	2

LOCATION: 1907 S. Hastings Way

INCIDENT TYPE: ◯ Fire ◯ Water/Ice ⦿ Hazardous Materials ◯ Mass Casualty ◯ Other

ALARMS: ◯ 1ˢᵗ Alarm ◯ 2ⁿᵈ Alarm ⦿ Special Call ◯ MABAS

ENGINE/TRUCK(S) RESPONDING: 3   **RESCUE/MEDICAL VEHICLE(S) RESPONDING:** 0

COMMAND VEHICLE: 1   **PERSONNEL RESPONDING:** 10

INJURIES: Civilian: 0   Firefighter: 0

TRANSPORTED BY AMBULANCE: ◯ Yes (#:   ) ⦿ No   **WHERE TRANSPORTED:** N/A

FATALITIES: ◯ Yes (#:   ) ⦿ No

EVACUATION: ⦿ Yes ◯ No   Comments: PARTIAL EVACUATION OF IMMEDIATE AREA

RELOCATION: ◯ Yes ⦿ No   Comments:

MUTUAL AID: ◯ Given ◯ Received ⦿ NA

BUSINESS NAME: WEAU TV 13
Occupant:
  Name: TERRY McHUGH
  Address:
    1907 S. HASTINGS WAY

    EAU CLAIRE, WI 54701

  Phone: (715) 835-1313

Property Owner:

Name:

Address:

Phone:

STRUCTURE TYPE: **AREA OF ORIGIN:**

UNDER INVESTIGATION: ◯ Yes   ◯ No   **BY WHOM:**

PROBABLE CAUSE:

DAMAGE ESTIMATE: $
(structure and contents)

NARRATIVE:

On May 20, 2024, 1416hrs, the Eau Claire Fire Department was requested to respond to 1907 S. Hastings Way, WEAU TV 13 for a hazardous materials investigation of an unknown substance. Upon arrival, fire crews collected an envelope containing an unknown substance and obtained a sample for analysis. Further investigation determined the material was a non-hazardous food substance. The Eau Claire Fire Department was assisted by multiple agencies including the Eau Claire Police Department, WI Department of Health Services (DHS), WI State Laboratory of Hygiene (WSLH), Federal Bureau of Investigation (FBI), and the US Postal Inspection Service. Currently, there is no articulated threat to the community.

Jon Schultz	Bob Haller	Tony Biasi
Deputy Chief	Deputy Chief	Deputy Chief
EMS Operations	Prevention-CRR	Suppression Operations